

Prevention and control of healthcare-associated infections overview


NICE Pathways bring together everything NICE says on a topic in an interactive flowchart. NICE Pathways are interactive and designed to be used online.

They are updated regularly as new NICE guidance is published. To view the latest version of this NICE Pathway see:

<http://pathways.nice.org.uk/pathways/prevention-and-control-of-healthcare-associated-infections>

NICE Pathway last updated: 22 November 2018

This document contains a single flowchart and uses numbering to link the boxes to the associated recommendations.



1 Adult or child receiving healthcare

No additional information

2 Primary and community care

[See Prevention and control of healthcare-associated infections / Prevention and control of healthcare-associated infections in primary and community care](#)

3 Secondary care

No additional information

4 Preventing and treating surgical site infections

[See Prevention and control of healthcare-associated infections / Preventing and treating surgical site infections](#)

5 Local strategy

NICE, in partnership with the Health Protection Agency (HPA), has published the following measures of excellence in infection prevention and control, at a management or organisational level. This guidance is for board members working in (or with) hospitals.

Board-level leadership

Trust boards demonstrate leadership in infection prevention and control to ensure a culture of continuous quality improvement and to minimise risk to patients.

Be a learning organisation

Trusts use information from a range of sources to inform and drive continuous quality improvement to minimise risk from infection.

Healthcare-associated infections surveillance

Trusts have a surveillance system in place to routinely gather data and to carry out mandatory monitoring of HCAs and other infections of local relevance to inform the local response to HCAs.

Workforce capacity and capability

Trusts prioritise the need for a skilled, knowledgeable and healthy workforce that delivers continuous quality improvement to minimise the risk from infections. This includes support staff, volunteers, agency/locum staff and those employed by contractors.

Environmental cleanliness

Trusts ensure standards of environmental cleanliness are maintained and improved beyond current national guidance.

Multi-agency working

Trusts work proactively in multi-agency collaborations with other local health and social care providers to reduce risk from infection.

Communication

Trusts ensure there is clear communication with all staff, patients and carers throughout the care pathway about HCAs, infection risks and how to prevent HCAs, to reduce harm from infection.

Admission, discharge and transfer

Trusts have a multi-agency patient admission, discharge and transfer policy which gives clear, relevant guidance to local health and social care providers on the critical steps to take to minimise harm from infection.

Patient and public involvement

Trusts use input from local patient and public experience for continuous quality improvement to minimise harm from HCAs.

Trust estate management

Trusts consider infection prevention and control when procuring, commissioning, planning, designing and completing new and refurbished hospital services and facilities (and during subsequent routine maintenance).

New technology and innovation

Trusts regularly review evidence-based assessments of new technology and other innovations to minimise harm from HCAs and antimicrobial resistance.

For more information about how these measures of excellence can be used in practice, see the NICE guideline on [healthcare-associated infections: prevention and control](#).

NICE has written [information for people visiting, or receiving treatment in, NHS hospitals on the prevention and control of healthcare-associated infections](#).

Quality standards

The following quality statements are relevant to this part of the interactive flowchart.

Healthcare-associated infections quality standard

1. Surveillance
2. Collaborative action
3. Responsibilities of hospital staff
4. Planning, design and management of hospital facilities
5. Admission, discharge and transfer

Infection prevention and control quality standard

2. Organisational responsibility

Surgical site infection quality standard

7. Surveillance – surgical site infection

6 See what NICE says on antimicrobial stewardship

[See Antimicrobial stewardship](#)

7 See what NICE says on ensuring adults have the best experience of NHS services

[See Patient experience in adult NHS services](#)

Glossary

Aseptic technique

(an aseptic technique ensures that only uncontaminated equipment and fluids come into contact with susceptible body sites, which should be used during any clinical procedure that bypasses the body's natural defences; using the principles of asepsis minimises the spread of organisms from one person to another)

Clean surgery

(surgery involving an incision in which no inflammation is encountered, without a break in sterile technique, and during which the respiratory tract, alimentary or genitourinary tracts are not entered)

Clean-contaminated surgery

(surgery involving an incision through which the respiratory, alimentary, or genitourinary tract is entered under controlled conditions but with no contamination encountered)

Contaminated surgery

(surgery involving an incision in which there is a major break in sterile technique or gross spillage from the gastrointestinal tract, or an incision in which acute, non-purulent inflammation is encountered; open traumatic wounds that are more than 12–24 hours old also fall into this category)

CRBSI

catheter-related bloodstream infection

Debridement

(the excision or wide removal of all dead (necrotic) and damaged tissue, that may develop in a surgical wound)

Direct patient care

('hands on' or face-to-face contact with patients, in other words any physical aspect of the healthcare of a patient, including treatments, self-care and administration of medication)

Dirty or infected wound

(an incision undertaken during an operation in which the viscera are perforated or when acute inflammation with pus is encountered (for example, emergency surgery for faecal peritonitis), and for traumatic wounds where treatment is delayed, there is faecal contamination, or devitalised tissue is present)

Hand decontamination

(the use of handrub or handwashing to reduce the number of bacteria on the hands; in this guidance, this term is interchangeable with 'hand hygiene')

Handrub

(a preparation applied to the hands to reduce the number of viable microorganisms; this guidance refers to handrubs compliant with British standards (BS EN1500; standard for efficacy of hygienic handrubs using a reference of 60% isopropyl alcohol))

HCAIs

healthcare-associated infections

Healing by primary intention

(occurs when a wound has been sutured after an operation and heals to leave a minimal, cosmetically acceptable scar)

Healing by secondary intention

(occurs when a wound is deliberately left open at the end of an operation because of excessive bacterial contamination, particularly by anaerobes or when there is a risk of devitalised tissue, which leads to infection and delayed healing; the wound may be sutured within a few days (delayed primary closure), or much later when the wound is clean and granulating (secondary closure), or left to complete healing naturally without the intervention of suturing)

Healthcare workers

(people employed by the health service, social services, a local authority or an agency to provide care for a sick, disabled or elderly person)

Healthcare waste

(any waste produced by, and as a consequence of, healthcare activities)

Interactive dressing

(modern (post-1980) dressing materials, designed to promote the wound healing process through the creation and maintenance of a local, warm, moist environment underneath the chosen dressing, when left in place for a period indicated through a continuous assessment process)

Perfusion

(blood flow through tissues or organs; if not optimal, it can increase the risk of infectious complications (particularly surgical site infections))

Personal protective equipment

(equipment that is intended to be worn or held by a person to protect them from risks to their health and safety while at work; examples include gloves, aprons, and eye and face protection)

Sources

[Healthcare-associated infections: prevention and control](#) (2011) NICE guideline PH36

Your responsibility**Guidelines**

The recommendations in this guideline represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, professionals and practitioners are expected to take this guideline fully into account, alongside the individual needs, preferences and values of their patients or the people using their service. It is not mandatory to apply the recommendations, and the guideline does not override the responsibility to make decisions appropriate to the circumstances of the individual, in consultation with them and their families and carers or guardian.

Local commissioners and providers of healthcare have a responsibility to enable the guideline to be applied when individual professionals and people using services wish to use it. They should do so in the context of local and national priorities for funding and developing services, and in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities. Nothing in this guideline should be interpreted in a way that would be inconsistent with complying with those duties.

Commissioners and providers have a responsibility to promote an environmentally sustainable health and care system and should assess and reduce the environmental impact of implementing NICE recommendations wherever possible.

Technology appraisals

The recommendations in this interactive flowchart represent the view of NICE, arrived at after careful consideration of the evidence available. When exercising their judgement, health professionals are expected to take these recommendations fully into account, alongside the individual needs, preferences and values of their patients. The application of the recommendations in this interactive flowchart is at the discretion of health professionals and their individual patients and do not override the responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or their carer or guardian.

Commissioners and/or providers have a responsibility to provide the funding required to enable the recommendations to be applied when individual health professionals and their patients wish to use it, in accordance with the NHS Constitution. They should do so in light of their duties to have due regard to the need to eliminate unlawful discrimination, to advance equality of opportunity and to reduce health inequalities.

Commissioners and providers have a responsibility to promote an environmentally sustainable health and care system and should assess and reduce the environmental impact of implementing NICE recommendations wherever possible.

Medical technologies guidance, diagnostics guidance and interventional procedures guidance

The recommendations in this interactive flowchart represent the view of NICE, arrived at after

careful consideration of the evidence available. When exercising their judgement, healthcare professionals are expected to take these recommendations fully into account. However, the interactive flowchart does not override the individual responsibility of healthcare professionals to make decisions appropriate to the circumstances of the individual patient, in consultation with the patient and/or guardian or carer.

Commissioners and/or providers have a responsibility to implement the recommendations, in their local context, in light of their duties to have due regard to the need to eliminate unlawful discrimination, advance equality of opportunity, and foster good relations. Nothing in this interactive flowchart should be interpreted in a way that would be inconsistent with compliance with those duties.

Commissioners and providers have a responsibility to promote an environmentally sustainable health and care system and should assess and reduce the environmental impact of implementing NICE recommendations wherever possible.